

SLIDEPRO

Advanced Sliding Gate Automation



SlidePro **E1**

SlidePro **V1**

ENGINEERED FOR PERFORMANCE

Smart Design. Reliable Automation.

Designed for modern sliding gates, SlidePro combines a robust housing, precision drive mechanism and practical service-oriented design for dependable gate automation.




MANUAL RELEASE

Practical access to the gate mechanism when manual operation is required.



INSIDE THE TECHNOLOGY

A compact mechanical drive system engineered inside a robust protective housing.



PRECISION DRIVE

Designed to deliver controlled mechanical movement for sliding gate operation.



SLEEK DESIGN

A clean, modern enclosure designed to complement contemporary sliding gate installations.


PRODUCT SPECIFICATIONS

Slide Pro E1 & Slide Pro V1

Specification	Slide Pro E1	Slide Pro V1
Input Power	AC230V	AC230V
Motor Voltage (V/DC)	DC24V	DC24V
Output Power (W)	100W	100W
Temperature Range	-45°C ~ 65°C	-45°C ~ 65°C
Max Gate Weight (Kg)	800 kg	800 kg
Ingress Protection (IP)	IP44	IP44
Body Material / Finish	Metallic Silver Coated	ABS Housing

BASIC INSTALLATION

Typical Sliding Gate Automation Configuration



KIT INCLUDES



**SLIDEPRO
OPERATOR**



**CONTROL
BOARD**



**REMOTE
CONTROLS**



PHOTOCELLS



MEET SLIDEPRO

Everything you need.
One complete kit.